



ASSAM PETRO-CHEMICALS LIMITED

(A Government of Assam Undertaking) | An ISO 9001:2008 Certified Company
CIN- U24116AS1971SGC001339, GSTN: 18AABCA6913A1Z6

Head Office & Factory Site:

Assam Petro-chemicals Ltd., Namrup, P.O. Parbatpur,
District: Dibrugarh, Assam-786623
Phone: (0374) 2500331/2500246/2500518, Fax: (0374) 2500231
Email: nrapl@sancharnet.in, admin_apl@assampetrochemicals.co.in

Ref No: APL/Proj/04/2021/560

Date: 05/03/2021

Corrigendum - 2

Name of Work: Transhipment facility works of APL at Boitamari, Assam

Tender Number: TCE.6842A-CV-3000-3004-R1 dated 19th February, 2021

The modification/ additional information of the above mentioned Tender document is attached here.

**Sd/-
Managing Director**

The modification/ additional information
Tender Number: TCE.6842A-CV-3000-3004-R1

Name of Work: Transhipment facility works of APL at Boitamari, Assam

The modification/ additional information of the above mentioned Tender document is as mentioned below.

Sl. No.	Location
1.	Section-E, Cl. (Sheet 18 of 40) [NIT Page no.- 299 of 2047] to be replaced with the following

ATTACHMENT-I

**VENDOR DOCUMENT REVIEW STATUS CODES FORMAT FOR
STAMP AND STICKER**

TATA CONSULTING ENGINEERS LTD	
CONTRACTOR/VENDOR DOCUMENT REVIEW STATUS	
1	No Comments, Further work can proceed
2	Work can proceed subject to incorporation of comment(s). Final Version to be re-submitted for records.
3	Documents does not confirm to basic requirements as marked. Work cannot proceed. Resubmit for Review.
4	Retained for Information
5	Void
<p>Agreement conveyed herein, neither absolves CONTRACTOR/VENDOR from his contractual obligations and from his responsibilities for correctness of dimensions, materials of construction, weights, quantities, design details, assembly fits, system / performance requirements and conformity of supplies with local and international statutory laws as may be applicable, nor does it limit the Employer's rights under the contract</p>	
Reviewer	Date

The modification/ additional information
Tender Number: TCE.6842A-CV-3000-3004-R1

Name of Work: Transshipment facility works of APL at Boitamari, Assam

The modification/ additional information of the above mentioned Tender document is as mentioned below.

Sl. No.	Location	Stated in NIT	Statement to be read as
2	Tender Notice/SPEC No. :- TCE.6842ACV- 3000-3004-04 Instruction To Bidders/SI No.2.1 & 2.1.2 [NIT Page no.- 100 of 2047]	Exceptions: The following categories of tenderers are exempted from EMD; Necessary Provisions shall be made in Tender Documents: - Public sector Enterprises - Vendors registered with National Small Scale Industries Corporation (NSIC) For this purpose, in the event of the tendering company being a Public Sector Enterprise, a declaration to that effect and in the case of vendors registered with NSIC, a copy of the registration certificate should be obtained.	Exceptions: The following categories of tenderers are exempted from EMD; Necessary Provisions shall be made in Tender Documents: - Public sector Enterprises - Vendors registered with National Small Scale Industries Corporation (NSIC) For this purpose, in the event of the tendering company being a Public Sector Enterprise, a declaration to that effect and in the case of vendors registered with NSIC, a copy of the registration certificate should be obtained. Regarding MSME organizations Govt. direction / rule will be followed.

The modification/ additional information
Tender Number: TCE.6842A-CV-3000-3004-R1

Sl. No.	Location	Stated in NIT	Statement to be read as
3	SPEC. NO. TCE.6842A-CV-3000-3004-01_3A Scope & instruction to Bidder-Mechanical/Clause No.1.6.3 (NIT Page No.36 of 2047)	<p>Fire protection system</p> <p>i. Scope</p> <p>It is proposed to have a comprehensive fire protection system for the Methanol storage consisting of the following systems:</p> <p>a. Proposed fire hydrant system (shall be tapped from existing system of adjacent formaldehyde plant.)</p> <p>b. Automatic medium velocity water spray system for storage tanks (2 nos. of Gross capacity 2923 KL each) containing Methanol.</p> <p>c. Automatic medium velocity Spray System for product pump house (i.e. Methanol transfer pump section)</p> <p>d. Automatic Sprinkler system for Admin. Building.</p> <p>e. Portable fire extinguishers throughout the plant.</p> <p>f. Fire Tender</p>	<p>Fire protection system</p> <p>i. Scope</p> <p>It is proposed to have a comprehensive fire protection system for the Methanol storage consisting of the following systems:</p> <p>a. Proposed fire hydrant system (shall be tapped from existing system of adjacent formaldehyde plant.)</p> <p>b. Automatic medium velocity water spray system for storage tanks (2 nos. of Gross capacity 2923 KL each) containing Methanol.</p> <p>c. Automatic medium velocity Spray System for product pump house (i.e. Methanol transfer pump section)</p> <p>d. Automatic Sprinkler system for Admin. Building.</p> <p>e. Portable fire extinguishers throughout the Transshipment plant.</p>

The modification/ additional information
Tender Number: TCE.6842A-CV-3000-3004-R1

Sl. No.	Location	Stated in NIT	Statement to be read as
4	Attachment-I , Spec.Cathodic Protection System, Tender Notice/SPEC No.:- TCE.6842ACV-3000-3004-04-R1 SUPPL--EMENT TO SPECIAL CONDITIONS OF CONTRACT Sl. No. b ; Page - 10 of 20		Additional Clause to be added as Clause16.0: <u>Recommended Vendor List:</u> 1.M/s Yashuman Engineers Ltd. 2.M/s Raychem RPG 3.M/s S&S Electricals (I) Ltd. 4.M/s Corrttech Internation Pvt. Ltd.

Sl. No.	Location	Stated in NIT	Statement to be read as
5	Section E, Special Conditions of Contract, DOC. NO. TCE.6842A-CV-3000-3004-06 Sheet 37 of 40 (NIT Page No.318 of 2047)	Sr. No. (xi) Mandatory Spares	To be modified as Sr. No. (xi) Mandatory Spares (Bidder to provide list of spares- Mandatory for example : Pump, Motor, Valve, Gasket, Nozzle, Fastener, all instrument items like LT, PT, TT, PG etc, commissioning spares, Operation and Maintenance spares Along with the offer. Also same has to obtained from Instrument vendors based on Type of instruments)

Sl. No.	Location	Stated in NIT	Statement to be read as
6	Section A, Tender Notice/DOC No. :- TCE.6842ACV-3000-3004-01 Scope of Enquiry General/Clause No.1.24 Sheet (v) of (vi), NIT Page No.14 of 2047	Clause No.1.24: Time Schedule for Completion: The Time schedule for the subject work shall be 8 months for Mechanical Completion, Commissioning and Performance Guarantee test run (PGTR) from the date of issue of Letter of Acceptance (LOA), which includes PGTR duration of 2 months.	Clause No.1.24: Time Schedule for Completion: The Time schedule for the subject work shall be 10 months for Mechanical Completion, Commissioning and Performance Guarantee test run (PGTR) from the date of issue of Letter of Acceptance (LOA), which includes PGTR duration of 2 months .