



ASSAM PETRO-CHEMICALS LTD.

(A Govt. of Assam Undertaking)

Namrup, P.O. Parbatpur-786623, (Assam), India.

Ph: 91-374 - 2500331, 2500246, 2500518 Fax :91-374 - 2500231

Email : barman.ac@assampetrochemicals.co.in

"An ISO 9001:2008 Certified Company"

PAN: AABCA6913A TAN NO. SHLA00850D CIN : U24116AS1971SGC001339

GST ID NO : 18AABCA6913A1Z6

Ref : APL/Proj/04/RAB/2018/044

Date : 17/01/2018

CORRIGENDUM - 1

Ref : 1. Tender No. APL/Proj/Civil/04/RAB/2018/
2. E-Tender ID No. 2018_ICD_5013_1 Dated 15/01/2018
Work Description : Renovation of Adhesive Building.

The Proforma for Schedule of Quantity shown in Page No 63 to 71 of the above referred Tender document is modified as per details given below:

Original						Amended					
Sl no	Description of work	Unit	Qty	Rate		Sl no	Description of work	Unit	Qty	Rate	
				fig	words					fig	words
mentioned	mentioned	mentioned	Not mentioned			mentioned	mentioned	mentioned	mentioned		

For details refer Revised Schedule of Quantity attached with this corrigendum

Sd/-
Managing Director

RENOVATION OF ADHESIVE BUILDING

E-Tender ID No. 2018_ICD_5013_1

Corrigendum - 1

REVISED SCHEDULE OF QUANTITY

Sl No	Description of Work	Qty.	Unit	Price (INR)	
				In fig.	In words
1	<p>PLAIN CEMENT CONCRETE WORKS Plain cement concrete works with coarse aggregate of sizes 13mm to 32mm in foundation bed for footing steps, walls, brick works etc. as directed and specified including dewatering if necessary, and curing complete (shuttering where necessary shall be measured and paid separately).</p> <p>(a) In prop 1cement: 3 sand :6 coarse aggregate by volume</p>	190.536	Cum		
2	<p>1st class brick nogged wall in cement mortar including racking out joints and curing complete as directed in super structure above plinth up to 1st floor level (protruding M.S rod/Tor steel of column to be embeded in cement mortar and will be measured and paid separately) (A) 112mm thick brick wall (a) In cement mortar in proportion 1:4. (1 cement:4 sand)</p>	300.295	Sq.m		
3	<p>Brick work in cement mortar with 1st class brick including racking out joints and curing complete as directed. (I) In Sub-structure upto plinth level including dewatering if necessary</p> <p>(b) In proportion 1:4.</p>	12.82	Cum		
4	<p>Providing soling in foundation and under floor with stone/ best quality picked jhama brick, sand packed and laid to level and in panel after preparing the subgrade as directed including all labour and materials and if necessary dewatering, complete. (a).Brick flat soling.</p>	40	SQM		

RENOVATION OF ADHESIVE BUILDING

E-Tender ID No. 2018_ICD_5013_1

Corrigendum - 1

5	<p>CEMENT PLASTERING 10 mm thick Cement plaster in single coat on fair side of brick/concrete walls for interior plastering up to 1st floor level including arises or rounded angles not exceeding 80mm girth and finished even and smooth including curing complete as directed. b) In cement mortar 1:4</p>	838.73	Sq.m		
6	<p>Raising low site around the building with approved soil obtained from outside by truck carriage including breaking clods, dressing etc. complete including paying necessary forest royelty, sales tax, land compensation, municipal gate fees, if any monopoly duty etc. (profile measurement to be taken and 12.5% deduction for shrinkage to be made from total quantity) etc. complete as directed an (b) Other than Guwahati city</p>	524.92	cum		
	<p>(c) With river sand or silt (predominantly non plastic) by truck carriage including loading and unloading.</p>	135.10	cum		
7	<p>Providing Pre Painted Galvanized Iron Sheet Roofing (PPGI) at all levels including fitting and fixing with self drilling, self tapping screws complete. (Roof trusses, purlins etc. to be measured and paid separately.) TATA Blue scope/ Dyna roof / Durakolor /Wonder Roof or equivalent as directed by the Departement (i) 0.40 mm thick</p>	128	Sq.m		

RENOVATION OF ADHESIVE BUILDING

E-Tender ID No. 2018_ICD_5013_1

Corrigendum - 1

8	Providing Pre Painted Galvanized Iron Sheet (PPGI) accessories (Ridges / Valley / Gutter /Flashing) at all levels including fitting and fixing self drilling, self tapping screws complete complete. TATA Blue scope/ Dyna roof / Durakolor /Wonder Roof or equivalent as directed by the Departement (ii) Crimped Curved Ridge	43	RM		
9	Providing, fitting and fixing M.S. round bars with M.S. flat stiffeners at required spacing in wooden frames of windows and clerestory windows (b) Fixed to steel frames (Plain grill)	600	Kg		
10	Providing, fitting and fixing 40mm x 48mm wood reinforced PVC chowkhats fixed to the columns / stiffeners / walls with necessary holdfast / sleeves etc. as specified and directed at all levels.	15	RM		
11	Providing, fitting and fixing 24mm/ 29mm thick polymer reinforced moulded PVC door shutters fixed to the chowkath with necessary hinges, screws, bolts etc. as specified and directed at all levels (Door fixtures and fittings to be measured and paid seperately) a) 24mm thick	4.725	Sq.m		
12	Providing wood work in frame (chowkaths) of doors, windows, clerestory windows and other similar works wrought, framed and fixed in position in contact with C.C or brick masonry wall including supplying, fitting and fixing with M.S. hold fast (40mmx3mmx250mm) as per design embeded in cement concrete block in proportion 1:2:4 and with two coats of kiricide oiling to the timber faces in contact with C.C and masonry as directed and specified. (b) With 1st class timber (Bonsum/ Sundi)	0.14625	cum		

RENOVATION OF ADHESIVE BUILDING

E-Tender ID No. 2018_ICD_5013_1

Corrigendum - 1

13	<p>Providing, fitting and fixing factory made wooden panelled doors with panel inserts of 75mm to 50mm width and 12mm to 20mm thickness,joined together with continous tongue and groove joints glued together with Movicol or other approved adhesive leaving a vertical groove of 7.5mm to 15mm between the inserts,the edges of panel inserts being feather tongue into styles and rails including providing three pairs of oxidised M.S butt hinges (100mm x75 mm x3.55mm) and furnishing with moulded timber beading of size 25mmx15mm around the panels complete as per drawing (moulded timber bead and all fittings except hinges to be paid separately)</p> <p>b) With 1st class local wood (Hollock / Gamari/Sundi/ Bonsum)</p> <p>(ii) 35 mm thick with panel inserts of 20mm thickness.</p>	9.45	Sq.m		
14	WHITE WASHING				
	<p>(a) White washing with lime on wall surfaces (two coats) to give an even shade including thoroughly brooming the surface to remove all dirt, dust,mortar drops and other foreign matter.</p>	1938.75	Sq.m		
15	<p>Applying priming coat over new wood and wood based surfaces over 100mm in girth/width after and including preparing the surface by thoroughly cleaning oil, grease, dirt snd other foreign matter , sand papering and knotting.</p> <p>(a). With ready mixed paint , Wood primer (pink)</p>	15	Sq.m		
16	<p>Painting two coats (excluding priming coat) on new wood and wood based surface with enamel paint of approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) to give an even shade including cleaning the surfaces of all dirt, dust and other foreign matter sand papering and stopping.</p> <p>(i).Surfaces over 100mm in width or girth.</p> <p>a). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).</p>	15	Sq.m		

RENOVATION OF ADHESIVE BUILDING

E-Tender ID No. 2018_ICD_5013_1

Corrigendum - 1

17	Synthetic enamel paint, aluminium paint / bituminous paint on steel and other metal surfaces. i).Removing old paint from steel and other metal surface and making the surface even. a). With hand scraping	183.419	Sq.m		
18	Supplying, fitting, fixing electrocoloured iron fittings of approved make, resonably smooth, free from sharp edges and corners, flaws and other defects and with counter sunk holes for wood screws including necessary screws etc. complete. a) Sliding door bolts i) 300mm x 16mm	4	each		
19	Providing and fixing clear sheet glass bedded in putty and fixed with/without wooden bidding including necessary cutting and glass to be required sized(payment for wooden bead shall be made separately) (b). 4.00mm thick.	25.11	Sq.m		
20	Providing barbed wire on the existing barbed wire fencing with seven strands of barbed wire 12 S.W. G.x 2pliesx 4 points at 75mm apart including supplying, fitting and fixing with galvanised staples 38mm x 38mm x 3mm sizes with existing posts of the fencing, including removing rotten barbed wire as directed, complete with strengthening of post and tightening of the old barbed wire and joinining old serviceable pieces on remaining lines as and where necessary and as directed.	805.00	RM		
21	Structural Steel work in Single MS Angle sections including bottom to be split and bent at right angle in opposite direction for 10 cm length , hoisting, fixing in position and applying a priming coat of Red lead paint including drilling holes, supplying fitting and fixing of bolts and nuts or welding, if necessary, as directed & specified.	2416.52	Kg.		

RENOVATION OF ADHESIVE BUILDING

E-Tender ID No. 2018_ICD_5013_1

Corrigendum - 1

22	Providing and fixing M.S. Tube hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer complete as specified and directed by department.	99.22	Kg		
23	Supplying, fitting and fixing double leaf heavy duty iron gate, frame made from 40mm x 40mm x 6mm M.S. angle and with M.S. flat of 40mm x 6mm size as per approved design. Necessary locking arrangement for temporary closing the gate and 2nos. (minimum) strong iron hinges of M.S bars and flat of same sizes on each leaf to be embedded in C.C brick pillars as necessary including a red oxide painting to all iron works as directed and specified. (Separate payment will be made for posts).	4	Qtl		
24	Jungle clearance including uprooting of vegetation, grass, brush-wood, sapling and trees not exceeding 300mm girth and disposal of the same outside the periphery and lift upto 1500mm	1373	Sq.m		
25	Taking out from position and repairing steel window shutters including steel frames at all levels after cutting out the heavily rusted and damaged portion of the shutters and frames and welded with the new 'Z' section of steel members, corner, hinges, stay etc. including fitting and fixing in position and riveting with new rivets adjusting, cleaning, cutting the holes and making good the damages to metal with existing one. Window grills to be removed during carrying out the work and to be re-fixed in position after completion of work. The glass panes damaged during execution should also be changed.	29.7	each		
26	Providing precast R.C.C slab over drain ,septic tank etc. in prop. 1:2:4 reinforced with 10mm M.S. bar @ 150mm centre both ways tying with 20 gauge black annealed wire with necessary shuttering , curing etc. complete including fixing in position as directed.	7.5	each		

RENOVATION OF ADHESIVE BUILDING

E-Tender ID No. 2018_ICD_5013_1

Corrigendum - 1

27	Providing and fixing rolling shutters of approved make made of 80mm wide M.S. laths interlocked together through their entire length and jointed together at the ends by end-locks mounted on specially designed pipe shaft with bracket plates, guide channels and arrangements for inside and outside locking with push-pull operation complete including cost of wire, spring and hood cover for the shutters.	14	Sq.m		
28	Demolishing brick work including stacking of serviceable materials and disposed of unserviceable materials	6.276	cum		
29	Demolishing RCC work including stacking of steel bars and disposal of unserviceable material as directed for all levels	24.003	Cum		
30	Providing, fitting and fixing steel windows/ventilators (fixed) of standard rolled steel sections as per relevant I.S. Code, joints mitred and welded with 15mmx3mmx100mm lugs embedded in cement concrete block of M-10 grade including applying a coat of red-lead primer. section-V attached room (office)	2.4	Sq.m		
31	Providing fitting and fixing vitreous china flat back type lipped front urinal basin with standard pipe A. Parryware make a.)white 4) Flat black (Cat. No. C0501/72)	1	each		
	European type water closet providing fitting and fixing china pedestal type water closet (European type W.C.pan 400mm high) Parryware make white vi) Elite P Trap(Cat. No. C0278)(inclusive of seat cover)	1	each		
	Supplying fitting and fixing PVC flushing cistern with all internal fitting.. Parryware make white viii). Tiger (Cat.No. C8260)	1	each		
	Renewing PVC waste pipe including removing...	10	each		

RENOVATION OF ADHESIVE BUILDING

E-Tender ID No. 2018_ICD_5013_1

Corrigendum - 1

32	PLYWOOD / HARDBOARD PARTION				
	Providing, fitting and fixing in position plywood / hardboard partion walls with 6mm thick plyboard / hardboard (best) with horizontal and vertical Sal battens of size 50mm x 80mm spaced at not more than 1.20m apart with necessary nails, wood screws, bolts etc. complete as directed by the Department for all levels (Painting / Varnishing to be measured and paid separately). A) 6mm thick Plyboard a) On one face of the frame	128.00	Sq.m		
33	5mm thick MS CHEQUERED PLATE Including fitting, fixing etc.@42.71kg/sqm	268.21	Kg		
34	Supplying and filling sand gravel in foundation trenches of column footings over slushy soil including local carriage of materials within 8 km pumping out of water, ramming etc. complete for strengthening the bearing capacity of the soil as directed and specified including payment of Forest Royalty and Sales Tax and other duties and taxes as may be necessary.	105.00	cum		
35	CEMENT PAINT & PRIMER				
	a) Applying one coat of cement primer of approved brand and manufacture on new wall surface after throughly brooming the surfaces free from mortar droppings and other foreign matter and including preparing the surface even and sand papered smooth.	1091.44	Sq.m		
36	b) Finishing wall with water proofing cement paint of approved brand and manufacture and of required shade on new wall surface (two coats) to give an even shade after throughly brooming the surfaces to remove all dirt and remains of loose powdered materials.	1091.44	Sq.m		

Assam Petro-Chemicals Limited

Namrup, Assam

Enquiry Document No
APL/Proj/Civil/04/RAB/2018/

RENOVATION OF ADHESIVE BUILDING

E-Tender ID No. 2018_ICD_5013_1

Corrigendum - 1

Applicable rate of GST to be mentioned by the Bidders

a. IGST -----%

b. CGST -----%

c. SGST -----%

Note : In case the bidder is covered under composition scheme under GST laws then bidder should quote the price inclusive of the GST (CGST & SGST/UTGST or IGST). Further, such bidder should mention "cover under composition system" in above column for GST (CGST & SGST/UTGST or IGST) under such circumstances, bidder's price will not be loaded with GST